


Fungizide in Winterweizen in 2011, Versuchsstandort LLH Korbach

32 03.05.11	37/39 18.05.11	61/65 07.06.11	SNK
Flamenco FS + Bravo 1,8 + 1,2	Fandango + Input 0,75 + 0,75	Prosaro 1,0	A
	Fandango + Input 0,75 + 0,75	Prosaro 1,0	A
	Aviator Xpro + Fandango 0,75 + 0,75	BAY 18570F 1,25	A
	Input Xpro (BAY 18540 F) 1,5	Prosaro 1,0	A
	Credo + Input 1,5 + 1,0	Prosaro 1,0	A
	Vertisan + Credo 1,5 + 1,5	Osiris 2,5	A
	Champion + Diamant 0,9 + 0,9	Osiris 2,5	A
	BAS 701F (Adexa) 2,0	Osiris 2,5	A
	BAS 70201F 3,0	Osiris 2,5	A
	Seguris + AmistarOpti 1,0 + 1,5		A
	Seguris + AmistarOpti 1,0 + 1,5	Seguris + AmistarOpti 1,0 + 1,5	A
	Vertisan + Credo 1,5 + 1,5		A
	Input Xpro (BAY 18540 F) 1,5		A
	Champion + Diamant 0,9 + 0,9		A
	Adexa (BAS 701 F) 2,0		A

SNK unbehandelt: B



Aussaat: 11.10.10, 350 Kö/m², Sorte Paroli, 184 N ges. pH 6,6, P205 21, K2O 18, MgO 6,
 06.04.11 Broadway 0,22 + 1; 06.04. (25) CCC 0,8; 20.05.11 (37) Med.T.+T. 0,5+0,5;
 23.02. (21) AHL 72; 06.04.11 (25) AHL 10; 15.04.11 (29) AHL 40; 12.05.11 (32/37) Harnstoff 60
 pfluglos, Vorfrucht Wintererbsen

Kontrolle: 72,07 dt/ha ■ Ertrag rel.